



Product Catalog



About Us

It's not somuchwhat we do, but how well we do it. Our distribution center is strategically located, well-stocked and staffed by employees who understand your business and know how to add value. We offer will call, fast local delivery service and nationwide shipping so you get what you need when and where you need it with competitive pricing. With an unmatched combination of the industry's most experienced management and employees, we follow through every day with innovative solutions for residential, commercial, industrial and high security perimeter security challenges.

Fence1 Distribution LLC is your full-service wholesale fence, deck and access control distributor with brands you know and trust. Fence1 Distribution LLC also supplies standard aluminum and steel frame gates, panels, wood, vinyl and hardware quickly and efficiently. For projects with more unique or significant challenges, Fence1 Distribution LLC can help custom design with enhanced fabricating capabilities.

ON-TIME DELIVERY



SUMMER DEALS

Receive 5% OFF All Truck Load Orders.

5% OFF

**Yellow
Pine**

**Red
Pine**

**Pre-
Stain**

Best Seller Products



1

LUMBER




2

ALUMINUM



3

VINYL



4

GATE KITS



Chain Link



Alu Series





Dimensional Lumber

#2 Prime Lengths : 8'-16'

2x4

2x6

#1 Grade Lengths: 8'-24"

2x4

2x6

2x8

2x10

2x12

#2 Grade Lengths: 8'-20'


2x4

2x6

2x8

2x10

2x12



Plywood

Plywood 1/2", 5/8", 3/4"

***Available in BC, CDX and R/S**

Underlayment

***5/8" & 3/4" Square Edge**


***5/8" & 3/4" Tongue & Groove**





#2 Prime Lengths : 8'-16'
4x4

#2 Grade Lengths: 8'-16
4x4




#2 Grade Lengths 8' - 16'
6x6





MoistureShieldTM COMPOSITE DECKING





PRIVACY FENCE

FEATURE SPOTLIGHT

Our Privacy fencing is Impervious to moisture, termites and fungus. Rail inserts are manufactured with tongue & groove joints to ensure a smooth elegant finish. Identical on both sides ensuring our fences are pleasing for both you and your neighbours. Constructed to withstand high wind loads and work as a sound barrier with it's acoustic attributes.

Ideal for use in:

- Residential Homes
- Housing Developments
- Retirement Villages
- Nursing Homes

1 VINYL POST CAPS

Add some style and elegance to your fence with the New England post cap. The beautiful vinyl post cap fits 5 posts and will look fabulous for years to come.

Different style caps, Gothic, External Fall Cap, and Internal Flat Cap are available for choice.



2 ROUTED VINYL POST

A fence post that you won't need to paint or stain. That's the 5 in. x 5 in. x 9 ft. Vinyl Privacy Fence Post, available for End, Corner, Middle and 3 or 4-way post. It's easy to install with conventional tools. This post features a low maintenance design for easy upkeep. This vinyl post resists rust and won't splinter or decay, keeping your fence attractive with very little maintenance.

Durable, low-maintenance vinyl. Routed holes located on according side , making post-to-rail connection at the end of a fence run quick and easy.



3b FENCE PANEL COMPONENTS

..... has dozens of fence profile to meet different customer requirements.

RAIL - There are 2"x6" decor rail and 1.5"x5.5" Non-decor rail for T&G panel. PANEL - 6"x7/8" and 11.3"x7/8" T&G Panels are available.

3






AVAILABLE COLOUR



How To ORDER

1 CHOOSE A POST



5" square post with different pre-routed holes to meet your different demands and easy for installation. The regular wall thickness is 0.15". Heavy duty 0.25" wall thickness post is also available.

2 CHOOSE A POST CAP



England Cap



Gothic Cap



Flat Cap



Federation Cap

3 CHOOSE YOUR FENCE PANEL STYLE

available for 6ft and 8ft finished width (from post center to post center). Regular height is 6ft. All the profiles are cut into right length so that you can install the fence by hand and don't need special heavy tools. Aluminum reinforce added in the bottom rail for each style to ensure the fence will not drop and not out of shape for long time.



Style#: FT-F01
Flat-Top Privacy Fence
Panel Kit
(Available in 6ft and 8ft)



Style#: FT-F03
Lattice-Top Privacy Fence
Panel Kit
(Available in 6ft and 8ft)

Style#: FT-F04
Picket-Top Privacy Fence
Panel Kit
(Available in 6ft and 8ft)

4 GATE & ACCESSORIES

Ever's fence has same style gate to perfectly match the fence. All gate are pre-assembled a 's work-

shop before sending to save your much precious time. High strength structure and inside aluminum reinforce make sure the gate are extremely strong and will not shake and out of shape. Size available for 3ft to 5ft true width. (Double gate upto 10ft wide)

4b HARDWARE



Hinge
Sold in Pairs



Drop Rod


ch provide

one-stop solution service. You can find all kind of related accessories with us. The hinge, latch and drop rod are made of 304 stainless

steel with powder coated surface. It will not rust. Self-tap screws are included in the kit.

Aluminum Reinforce
Used for end post beside the gate

QUANTITY	Hinge	Latch	Drop Rod	Aluminum
Walk Gate	1	1	0	2
Driver Gate	2	1	1	2



PICKET FENCE

FEATURE SPOTLIGHT

Picket Fence beautify your home and garden, add elegant style to your property with one of our great-looking picket fence profiles. Our range of premium grade picket fences are sure to enhance the appearance and value of your property, whilst being low maintenance means that you can actually sit back and enjoy the results rather than slaving ways with constant upkeep.

Even your neighbors will like your fence, because the manufacturing process used by Fenitech Fence means your fencing system will look just as brilliant on both sides.

1 VINYL POST

Pre-routed post for easy installation 4" square post is the best choice for picket fence, 3" and 5" square post are also available.

2 TOP & BOTTOM RAIL

There are different size rail for choice. The best is 2"x3.5" Rail. If you like, the 2"x6" HD Rail and 1.75"x3.5 Economic Rail are available.

5 PICKET FENCE STYLES

With 1 fence profiles, you can design dozens of picket fence styles, such as flat top, curved top, closed top ect. The picket available in size of 1-1/2"x7/8", 3"x7/8", 6"x7/8", 1"x3", 1.3"x1.3" and 1-1/2"x1-1/2". And you can mix them for different styles as you like.

The fence size available in 6ft and 8ft wide and 3ft to 8ft high.



AVAILABLE COLOUR



5


3 ALUMINUM REINFORCE
Aluminum reinforce is included in the bottom rail to enhance the strength and keep the fence in the right position for long time.

4 PICKETS
All pickets are notched at the end and have the caps glued on.



HOW TO ORDER

1 CHOOSE A POST



4" square post with different pre-routed holes to meet your different demands and easy for installation. Height can be cut as per your request.

2 CHOOSE A POST CAP



3 CHOOSE A PICKET FENCE PANEL

a How!









picket fence panels be constituted?
Fentech provide different size of rail and picket profiles. These profiles can constitute dozens of picket fence styles.



Rails
There are hollow rail and ribbed rail for choice. the size available in 2"x6", 2"x3.5", 1.75"x3", 1.5"x3"

Pickets
1.5"x7/8", 3"7/8", 6"x7/8", 1.5"x1.5"

b Choose your fence panel kit




POST & RAIL FENCE



FEATURE SPOTLIGHT

Fence Post and Rail Fencing system are entirely customizable and can be altered to suite your individual needs, they come with a standard post of 5"x5" and your choice of either 2, 3, 4, or cross rail system. Configuration may be altered upon request. It is the perfect solution and the safest possible for all your horse and livestock requirements. Hassle free installation with the use of notched rails, removing the need for nails and screws. Rails are centred on the posts so that our fencing system are aesthetically beautiful from all angles. Colored fence are Co-extruded to be UV resistant, providing you with a long lasting color stable product. Perfect for creating long lasting enclosures for your horse and livestock as well as a surreal perimeter for your property.



1 FENCE POST

5 inch square post with 0.15" standard wall thickness and 0.25" HD wall thickness. Pre-routed hole for End, Corner, Middle and 3 or 4 way post. It's easy to install with conventional tools. This post features a low maintenance design for easy upkeep. This vinyl post resists rust and won't splinter or decay, keeping your fence attractive with very little maintenance.

Durable, low-maintenance vinyl Routed holes located on according side , making post-to-rail connection at the end of a fence run quick and easy.

2 FENCE RAILS

It has variety of different rail to meet different customers' requirement. Our vinyl fence offers the perfect combination of high quality and low maintenance you have been looking for. The rails are with Notched end so that you don't need extra part for connection to post. Made of durable, low maintenance vinyl. Colored profile are co-extruded with ASA surface which will not fade in the harsh UV.

AVAILABLE COLOUR



Products Benefits

Lead Free, Environmental Friendly

UV Resistant As Australia Standard

High quality virgin material

Livestock Safe

Fungus & Dry Rot Free

Won't Flake

Wide Range of Colors /Color Stable

Won't Splinter

Won't Rust

✓



FT-H01D

How To ORDER

1 CHOOSE A POST



Dia. 160mm Post



5" square post (0.15" standard thickness, 0.2" thick HD post is also available) with different pre-routed holes to meet your different demands and easy for installation. Height can be cut as per your request. Dia. 160mm (5mm thickness) round post is also available.

POST OPTIONS

Post	Hole	2-Rail	3-Rail	4-Rail	Cross Rail
5" Square Post		●	●	●	●
Dia.160mm Round Post		●	●	●	●

● Available ● Non-Available

2 CHOOSE POST CAP

3 CHOOSE FENCE RAIL

There are 4 size of rail, and each rail has 2 different thickness for choice. All rail as are made of high quality virgin material.

Follows are the rail details.

- 1.5"x5.5" Rail - 0.08" & 0.1" Wall Thickness
- 2"x6" Rail - 0.09" & 0.1" Wall Thickness
- 3"x3" Rail - 0.09" & 0.15" Wall Thickness
- Dia. 3.35" Rail - 0.12" & 0.14" Wall Thickness.

Don't forget to order aluminum reinforce for the end post beside the gate. It will enhance the strength for gate.



Internal Flat Cap

1.5x5.5" Rail

2x6" Rail

3x3" Rail

Dia. 85mm Rail

Aluminum Reinforce
Used for end post beside the gate

Hinge
Sold in Pairs

Latch

Drop Rod

4 CHOOSE GATE

vinyl gate and aluminum gate. The aluminum gate are powder coated white and designed to be lightweight & strong, made from suitable grade aluminum profile with stainless steel hardware.

The gate includes the pre-assembled gate itself, a latch, two hinges and the post needed in which to hang the gate on. All gate posts are reinforced with aluminum inserts which help to strengthen the gates structural integrity. The gate available in 5ft to 8ft wide for single gate, and up to 16ft wide double gate.




QUANTITY	Hinge	Latch	Drop Rod	Aluminum
Single Gate	1	1	0	2
Double Gate	2	1	1	2

4b GATE HARDWARE

provide one-stop solution service. You can find all kind of related accessories with us. The hinge, latch and drop rod are made of 304 stainless steel with powder coated surface. It will not rust. Self-tap screws are included in the kit.

Don't forget to order aluminum reinforce for the end post beside the gate. It will enhance the strength for gate.

FENCE ACCESSORIES



FENCE HARDWARE




Vinyl Colors

White
Sand
Gray
Artic Blend

Weathered Aspen
Clay
Coastal Cedar
Mesquite

Cypress
Brazilian Blend
Dark Sequoia
Black

Sierra Blend
Weathered Blend
Dark Walnut



Genuine Galvanized Tube

Made in the USA 

Dynamic Tube & Pipe, a division of Dynamic Metals, is committed to producing only top quality, superior strength, galvanized inside and out, framework. Our dedication begins with decades of experience in the steel industry, and staffed with professionals from every aspect of steel production, testing, handling and quality assurance. Through our experience we acknowledge the importance of both interior and exterior protection. By using only prime steel, high grade zinc and superior coating technology, we can assure our customers of receiving the best Tube and Pipe products available today.

It all begins with prime base metal, which is then hot-dipped galvanized with high grade zinc on both sides, ensuring inside and out protection. This is followed by a chromate conversion process which protects and prepares the steel for the final coating. The exterior is then finished with a specially formulated clear acrylic for durability and shine.

DYNA COAT Color Fence Framework

Residential


Commercial

Industrial

Dyna Powder Coat System

- All Products Manufactured in the USA
- Multi-Stage Wash System
- State of the Art Electrostatic Equipment
- Highest Quality Polyester Powder
- Meets and Exceeds all Industry Standards

Our color framework is cleaned and pretreated in a five stage high powered industrial wash system. After drying, premium polyester powder is applied using state of the art electrostatic equipment. The pipe and tube is then baked at a time and temperature that assures complete curing of the coating. The process includes detailed inspections to insure adhesion and durability. Our properly cured polyester powder, offers a superior long term finish to meet and exceed our customer's needs.



Chain link mesh is available in a variety of finishes, with black and galvanized being among the most popular options. Black chain link mesh offers a sleek, modern appearance that blends seamlessly with its surroundings, making it a popular choice for residential and commercial properties. The black coating, often made of vinyl or powder, provides additional protection against rust and corrosion, ensuring long-lasting durability.

On the other hand, galvanized chain link mesh is known for its classic, industrial look and exceptional strength. The galvanization process involves coating the steel with a layer of zinc, which acts as a barrier against rust and environmental damage. This makes it an ideal choice for areas prone to harsh weather conditions.

Both black and galvanized chain link meshes are versatile and can be used in a variety of applications, from securing yards and playgrounds to enclosing industrial areas. Regardless of the color chosen, each type offers reliable security and requires minimal maintenance, making them a practical solution for fencing needs.



Chain link fittings are crafted to perfectly match various fence sizes and requirements. From securing the tops of posts to tightening the mesh, each component plays a crucial role in constructing a fence that is not only safe and stable but also effortlessly maintained.



CHAIN LINK FENCE ACCESSORIES

VIFF - 09 : LINE POST CAP

Standard Finish : Pre Galvanised | Hot Dipped Galvanised

- Material: Pressed Mild Steel.
- Size: 1-5/8" x 1-3/8", 2" x 1-3/8", 1-5/8" x 1-5/8", 2" x 1-5/8", 2-1/2" x 1-5/8", 3" x 1-5/8", 3-1/2" x 1-5/8", 4" x 1-5/8".



VIFF - 11 : CARRIAGE BOLT

Standard Finish : Galvanised | Hot Dipped Galvanised

- Material:Mild Steel..
- Diameter: 5/16 & 3/8 inch.
- Length: 1-1/4, 1-1/2, 2, 2-1/4, 2-1/2, 3 & 3-1/2 inch.
- Nut is included



VIFF - 13 : BOULEVARD CLAMP HALF

Standard Finish : Zinc Coating | Hot Dipped Galvanised

- Material: Pressed Mild Steel.

POST	RAIL
1-3/8"	1-3/8"
1-5/8"	1-5/8"
2"	2"
2-1/2"	1-3/8",1-5/8", 2"
3"	1-3/8",1-5/8", 2"
4"	1-3/8",1-5/8", 2"

• Bolt Size: 5/16"x2" , 3/8"x2-1/2"



VIFF - 17 : GATE CLIP

Standard Finish : Pre Galvanised | Hot Dipped Galvanised

- Material: Pressed Mild Steel
- Post size: 1-3/8".
- Thickness: 14 gauge



VIFF - 10 : TENSION BAR

Standard Finish : Pre Galvanised | Hot Dipped Galvanised

- Material:Mild Steel..
- Width: 5/8", 3/4", 3/8".
- Thickness: 3/16", 1/4".
- Height: 36", 42", 48", 60", 72", 84", 96", 108", 120", 144".



VIFF - 12 : BOULEVARD CLAMP FULL

Standard Finish : Pre Galvanised | Hot Dipped Galvanised

- Material: Pressed Mild Steel.

POST	RAIL
1-3/8"	1-3/8"
1-5/8"	1-3/8"
2"	1-3/8"



• Bolt Size: 5/16"x2" , 3/8"x2-1/2"

VIFF - 14 : FRAME / POST HINGE MALE

Standard Finish : Galvanised | Hot Dipped Galvanised

- Material: Pressed Mild Steel.
- Size: 1-3/8", 1-5/8", 2"(1-7/8") 2-1/2"(2-3/8"), 3"(2-7/8")
- Pin Size: 5/8"
- Bolt Size: 5/16"x2" , 3/8"x2-1/2"



VIFF - 18 : TOP RAIL SLEEVE

Standard Finish : Pre Galvanised | Hot Dipped Galvanised

- Material: M.S Pipe
- Outside diameter: 1-3/8, 1-5/8 and 2 in.
- Wall thickness: 17 gauge.
- Length: 6" & 7".




Master 1 Post



CORNER POSTS



- Strong .120" steel with a concrete lock for the strongest corner that supports 2 lines of fence
- Multiple hole patterns provide options for outside rail or inside rail installation for the style of fence you install



- Material - Pre-Galvanized G90
- A653 SS Grade 50
- Thickness - 0.120 inch
- Yield Strength - 50 ksi
- Tensile Strength - 65 ksi
- Windload - 70 mph (ULT, ASCE 7-10, IBC 2012)
- Concrete Lock

LINE POSTS

- Wider flanges provide stronger holding power and reduces splitting of rails
- Shorter "hat" section allows a flush cover for a clean fence line
- Multiple hole patterns allows for screws or lag bolts
- Countersunk holes for flush seating and ease to cover
- Concrete lock adds system strength and performance



- Material - Pre-Galvanized G90
- A653 SS Grade 50
- Thickness - 0.100 inch
- Yield Strength - 50 ksi
- Tensile Strength - 65 ksi
- Windload - 73 mph (ULT, ASCE 7-10, IBC 2012)
- Concrete Lock





256-885-6722
www.Fence1Distribution.com